Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
L. Caro
J. Davies
W. F. Dove
G. A. Gilbert
W. Gilbert
R. Huber
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
P. M. B. Walker
J. C. Wang
S. M. Weissman

VOLUME 102
25 March 1976 to 25 April 1976

ACADEMIC PRESS
London New York San Francisco

Copyright © 1976, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 102

Number 1, 25 March 1976

Brown, R. D. and Brown, D. D., The Nucleotide Sequence Adjoining the 3′ End of the Genes Coding for Oocyte-type 5 S Ribosomal RNA in *Xenopus* . 1

Sato, K. and Sekiguchi, M., Studies on Temperature-dependent Ultraviolet Light-sensitive Mutants of Bacteriophage T4: The Structural Gene for T4 Endonuclease V 15

Eklund, H., Nordström, B., Zeppezauer, E., Söderlund, G., Ohlsson, I., Boiwe, T., Söderberg, B.-O., Tapia, O., Brändén, C.-I. and Åkeson, Å., Three-dimensional Structure of Horse Liver Alcohol Dehydrogenase at 2·4 Å Resolution 27

Eklund, H., Brändén, C.-I. and Jörnvall, H., Structural Comparisons of Mammalian, Yeast and Bacillar Alcohol Dehydrogenases 61

Robieszek, A. and Small, J. V., Myosin-linked Calcium Regulation in Vertebrate Smooth Muscle 75

Helwer, C., Risler, J. L. and Monteilhet, C., A Low-resolution Model of Crystalline Methionyl-transfer RNA Synthetase from *Escherichia coli* . 93

Thomas, G. J., Jr, Prescott, B., McDonald-Ordzie, P. E. and Hartman, K. A., Studies of Virus Structure by Laser–Raman Spectroscopy. II. MS2 Phage, MS2 Capsids and MS2 RNA in Aqueous Solutions . . 103

Lynch, D. C. and Attardi, G., Amino Acid Specificity of the Transfer RNA Species Coded for by HeLa Cell Mitochondrial DNA 125

Marguerie, G. and Stuhrmann, H. B., A Neutron Small-angle Scattering Study of Bovine Fibrinogen 143

Letters to the Editor

Roberts, R. J., Myers, P. A., Morrison, A. and Murray, K., A Specific Endonuclease from *Arthrobacter luteus* 157

Nunn, W. D. and Cronan, J. E., Jr, Evidence for a Direct Effect on Fatty Acid Synthesis in *relA* Gene Control of Membrane Phospholipid Synthesis 167

Cruse, W. B. T. and Whitaker, D. R., Preliminary Crystallographic Data for Beta-lytic Protease 173

NUMBER 2, 5 APRIL 1976

KIMMEL, C. B., SESSIONS, S. K. and MACLEOD, M. C., Evidence for an Association of most Nuclear RNA with Chromatin 177

OLSON, T., FOURNIER, M. J., LANGLEY, K. H. and FORD, N. C., Jr, Detection of a Major Conformational Change in Transfer Ribonucleic Acid by Laser Light Scattering 193

BRETSCHER, A. P. and BAUMBERG, S., Divergent Transcription of the *arg-ECBH* Cluster of *Escherichia coli* K12. Mutations which alter the Control of Enzyme Synthesis 205

RICHARDSON, J. S., RICHARDSON, D. C., THOMAS, K. A., SILVERTON, E. W. and DAVIES, D. R., Similarity of Three-dimensional Structure Between the Immunoglobulin Domain and the Copper, Zinc Superoxide Dismutase Subunit 221

WEITZMAN, S. and SCHARFF, M. D., Mouse Myeloma Mutants Blocked in the Assembly, Glycosylation and Secretion of Immunoglobulin 237

MAUREL, P. and DOUZOU, P., Catalytic Implications of Electrostatic Potentials: the Lytic Activity of Lysozyme as a Model 253

MANDELKOW, E., HOLMES, K. C. and GALLWITZ, U., A New Helical Aggregate of Tobacco Mosaic Virus Protein 265

WONG, A. K. C., LIU, T. S. and WANG, C. C., Statistical Analysis of Residue Variability in Cytochrome *c* 287

TAKETO, M. and ISHIHAMA, A., Biosynthesis of RNA Polymerase in *Escherichia coli*. IV. Accumulation of Intermediates in Mutants Defective in the Subunit Assembly 297

ZURAWSKI, G. and BROWN, K. D., Directed Integration of Bacteriophage Lambda in an F′ *lac* Transposition Hfr Strain of *Escherichia coli*: Isolation and Characterization of Specialized Transducing Phages for the Phenylalanine and Tyrosine Operons 311

CRAIG, R. and OFFER, G., Axial Arrangement of Crossbridges in Thick Filaments of Vertebrate Skeletal Muscle 325

BURTON, K., Analysis of RNA Turnover in Bacteria Using Histidine as a Radioactivity Trap for [2-^{3}H]Adenine Nucleotides 333

ISOBE, T., BLACK, L. W. and TSUGITA, A., Primary Structure of Bacteriophage T4 Internal Protein II and Characterization of the Cleavage upon Phage Maturation 349

LETTER TO THE EDITOR

CALLISTER, H. and WAKE, R. G., Homogeneity in *Bacillus subtilis* Spore DNA Content 367

NUMBER 3, 15 APRIL 1976

STEVEN, A. C., AEBI, U. and SHOWE, M. K., Folding and Capsomere Morphology of the P23 Surface Shell of Bacteriophage T4 Polyheads from Mutants in Five Different Head Genes 373

Appendix: STEVEN, A. C. 400

JOSEPHS, R., JAROSCH, H. S. and EDELSTEIN, S. J., Polymorphism of Sickle Cell Hemoglobin Fibers 409

MATSUBARA, K., Genetic Structure and Regulation of a Replicon of Plasmid *λdv* 427

RICHARDSON, C. E. and BEHNKE, W. D., Physical-Chemical Studies on the Role of the Metal Ions in Concanavalin A 441

LEVINTHAL, M., LEVINTHAL, M. and WILLIAMS, L. S., The Regulation of the *ilvADGE* Operon: Evidence for Positive Control by Threonine Deaminase . 453

BRANDRISS, M. C., STEWART, J. W., SHERMAN, F. and BOTSTEIN, D., Substitution of Serine Caused by a Recessive Lethal Suppressor in Yeast . . 467

HELMSTETTER, C. E. and PIERUCCI, O., DNA Synthesis During the Division Cycle of Three Substrains of *Escherichia coli* B/r 477

MARKLEY, J. L., and PORUBCAN, M. A., The Charge-relay System of Serine Proteinases: Proton Magnetic Resonance Titration Studies of the Four Histidines of Porcine Trypsin 487

LINDAHL, T., ADAMS, A., BJURSELL, G., BORNKAMM, G. W., KASCHKA-DIERICH, C. and JEHN, U., Covalently Closed Circular Duplex DNA of Epstein–Barr Virus in a Human Lymphoid Cell Line 511

BERKOWITZ, S. A. and DAY, L. A., Mass, Length, Composition and Structure of the Filamentous Bacterial Virus fd 531

WISEMAN, R. L., BERKOWITZ, S. A. and DAY, L. A., Different Arrangements of Protein Subunits and Single-stranded Circular DNA in the Filamentous Bacterial Viruses fd and Pf 1 549

SALEMME, F. R., An Hypothetical Structure for an Intermolecular Electron Transfer Complex of Cytochromes *c* and b_5 563

VALENZUELA, M. S., FREIFELDER, D. and INMAN, R. B., Lack of a Unique Termination Site for the First Round of Bacteriophage Lambda DNA Replication 569

YAGI, Y. and CLEWELL, D. B., Plasmid-determined Tetracycline Resistance in *Streptococcus faecalis:* Tandemly Repeated Resistance Determinants in Amplified Forms of pAMα1 DNA 583

NUSS, D. L. and KOCH, G., Variation in the Relative Synthesis of Immunoglobulin G and Non-immunoglobulin G Proteins in Cultured MPC-11 Cells with Changes in the Overall Rate of Polypeptide Chain Initiation and Elongation 601

ATKINSON, P. H., MOYER, S. A. and SUMMERS, D. F., Assembly of Vesicular Stomatitis Virus Glycoprotein and Matrix Protein into HeLa Cell Plasma Membranes 613

BAAS, P. D., JANSZ, H. S. and SINSHEIMER, R. L., Bacteriophage ϕX174 DNA Synthesis in a Replication-deficient Host: Determination of the Origin of ϕX DNA Replication 633

DE PRÉVAL, C. and FOUGEREAU, M., Specific Interaction between V_H and V_L Regions of Human Monoclonal Immunoglobulins 657

CAREY, P. R. and SCHNEIDER, H., Evidence for a Structural Change in the Substrate Preceding Hydrolysis of a Chymotrypsin Acyl Enzyme: Application of the Resonance Raman Labelling Technique to a Dynamic Biochemical System 679

ANNOUNCEMENT 695

NUMBER 4, 25 APRIL 1976

CAVALIERI, S. J., NEET, K. E. and GOLDTHWAIT, D. A., Gene *5* Protein of Bacteriophage fd: A Dimer which Interacts Co-operatively with DNA . 697

CAVALIERI, S. J., GOLDTHWAIT, D. A. and NEET, K. E., The Isolation of a Dimer of Gene *8* Protein of Bacteriophage fd 713

ESPEJO, R. T. and SINSHEIMER, R. L., The Process of Infection with Bacteriophage ϕX174. XXXIX. The Structure of a DNA Form with Restricted Binding of Intercalating Dyes Observed During Synthesis of ϕX Single-stranded DNA 723

SCHMITT, H. and ATLAS, D., Specific Affinity Labelling of Tubulin with Bromocolchicine 743

WHITE, J. L., HACKERT, M. L., BUEHNER, M., ADAMS, M. J., FORD, G. C., LENTZ, P. J., JR, SMILEY, I. E., STEINDEL, S. J. and ROSSMANN, M. G., A Comparison of the Structures of Apo Dogfish M_4 Lactate Dehydrogenase and its Ternary Complexes 759

Chirgadze, Yu. N., Brazhnikov, E. V. and Nevskaya, N. A., Intramolecular Distortion of the α-Helical Structure of Polypeptides 781

Curtis, M. J. and Alberts, B., Studies on the Structure of Intracellular Bacteriophage T4 DNA 793

Weber, K., Wehland, J. and Herzog, W., Griseofulvin Interacts with Microtubules both *in vivo* and *in vitro* 817

Firtel, R. A., Cockburn, A., Frankel, G. and Hershfield, V., Structural Organization of the Genome of *Dictyostelium discoideum:* Analysis by *Eco*R1 Restriction Endonuclease 831

Letter to the Editor

Mathews, F. S. and Lederer, F., Crystallographic Study of Bakers' Yeast Cytochrome b_2 853

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_march-25-april-25-1976_102_contents

Index to Volume 102

Acyl enzyme, chymotrypsin, evidence for a structural change in the substrate preceding hydrolysis: application of the resonance Raman labelling technique to a dynamic biochemical system, 697

Adams, A. (see also Lindahl, T.), 511

Adams, M. J. (see also White, J. L.), 759

[2-^{3}H]Adenine nucleotides trapped using histidine in analysis of RNA turnover in bacteria, 333

Aebi, U. (see also Steven, A. C.), 373

Affinity labelling of tubulin with bromocolchicine, 743

Åkeson, Å. (see also Eklund, H.), 27

Alberts, B. (see also Curtis, M. J.), 793

Alcohol dehydrogenase of horse liver, three-dimensional structure at 2·4 Å resolution, 27

— dehydrogenases, mammalian, yeast and bacillar, structural comparisons, 61

Amino acid specificity of the tRNA species coded for by HeLa cell mitochondrial DNA, 125

Apo dogfish M_4 lactate dehydrogenase and its ternary complexes, a comparison of the structures, 759

argECBH cluster of *Escherichia coli* K12, divergent transcription. Mutations which alter the control of enzyme synthesis, 205

Arthrobacter luteus; a specific endonuclease from it, 157

Assembly of vesicular stomatitis virus glycoprotein and matrix protein into HeLa cell plasma membranes, 613

Atkinson, P. H., Moyer, S. A. & Summers, D. F., Assembly of vesicular stomatitis virus glycoprotein and matrix protein into HeLa cell plasma membranes, 613

Atlas, D. (see also Schmitt, H.), 743

Attardi, G. (see also Lynch, D. C.), 125

Baas, P. D., Jansz, H. S. & Sinsheimer, R. L., Bacteriophage ϕX174 DNA synthesis in a replication-deficient host: determination of the origin of ϕX DNA replication, 633

Bacillar, mammalian and yeast alcohol dehydrogenases, structural comparisons, 61

Bacillus subtilis spore, homogeneity of DNA content, 367

Bacterial RNA turnover, analysis using histidine as a radioactivity trap for [2-^{3}H]adenine nucleotides, 333

Bacteriophage fd gene *5* protein: a dimer which interacts co-operatively with DNA, 697

— —, isolation of a dimer of gene *8* protein, 713

— λ DNA replication, lack of a unique termination site for the first round, 569

— —, directed integration in an F′ *lac* transposition Hfr strain of *Escherichia coli*: isolation and characterization of specialized transducing phages for the phenylalanine and tyrosine operons, 311

— MS2, MS2 capsids and MS2 RNA in aqueous solutions: studies of virus structure by laser–Raman spectroscopy, 103

— ϕX174 DNA synthesis in a replication-deficient host: determination of the origin of ϕX DNA replication, 633

— — infection process. XXXIX. The structure of a DNA form with restricted binding of intercalating dyes observed during synthesis of ϕX single-stranded DNA, 723

— T4 DNA, intracellular, studies on structure, 793

— — internal protein II primary structure and characterization of the cleavage upon phage maturation, 349

— — polyheads from mutants in five different head genes, folding and capsomere morphology of the P23 surface shell, 373

— —, studies on temperature-dependent ultraviolet light-sensitive mutants: the structural gene for T4 endonuclease V, 15

Bakers' yeast cytochrome b_2, a crystallographic study, 835

Baumberg, S. (see also Bretscher, A. P.), 205

Behnke, W. D. (see also Richardson, C. E.), 441

Berkowitz, S. A. & Day, L. A., Mass, length, composition and structure of the filamentous bacterial virus fd, 531

Berkowitz, S. A. (see also Wiseman, R. L.), 549
Beta-lytic protease, preliminary crystallographic data, 173
Bjursell, G. (see also Lindahl, T.), 511
Black, L. W. (see also Isobe, T.), 349
Boiwe, T. (see aslo Eklund, H.), 27
Bornkamm, G. W. (see also Lindahl, T.), 511
Botstein, D. (see also Brandriss, M. C.), 467
Bovine fibrinogen, a neutron small-angle scattering study, 143
Brändén, C.-I. (see also Eklund, H.), 27, 61
Brandriss, M. C., Stewart, J. W., Sherman, F. & Botstein, D., Substitution of serine caused by a recessive lethal suppressor in yeast, 467
Brazhnikov, E. V. (see also Chirgadze, Yu. N.), 781
Bretscher, A. P. & Baumberg, S., Divergent transcription of the *argECBH* cluster of *Escherichia coli* K12. Mutations which alter the control of enzyme synthesis, 205
Bromocolchicine, a specific affinity label for tubulin, 743
Brown, D. D. (see also Brown, R. D.), 1
Brown, K. D. (see also Zurawski, G.), 311
Brown, R. D. & Brown, D. D., The nucleotide sequence adjoining the 3′ end of the genes coding for oocyte-type 5 S ribosomal RNA in *Xenopus*, 1
Buehner, M. (see also White, J. L.), 759
Burton, K., Analysis of RNA turnover in bacteria using histidine as a radioactivity trap for [2-^{3}H] adenine nucleotides, 333

Calcium regulation, myosin-linked, in vertebrate smooth muscle, 75
Callister, H. & Wake, R. G., Homogeneity in *Bacillus subtilis* spore DNA content, 367
Capsids, MS2, MS2 phage and MS2 RNA in aqueous solutions: studies of virus structure by laser–Raman spectroscopy, 103
Capsomere morphology and folding of the P23 surface shell of bacteriophage T4 polyheads from mutants in five different head genes, 373
Carey, P. R. & Schneider, H., Evidence for a structural change in the substrate preceding hydrolysis of a chymotrypsin acyl enzyme: application of the resonance Raman labelling technique to a dynamic biochemical system, 679
Catalytic implications of electrostatic potentials: the lytic activity of lysozyme as a model, 253
Cavalieri, S. J., Goldthwait, D. A. & Neet, K. E., The isolation of a dimer of gene *8* protein of bacteriophage fd, 713
—, Neet, K. E. & Goldthwait, D. A., Gene *5* protein of bacteriophage fd: a dimer which interacts co-operatively with DNA, 697
Charge-relay system of serine proteinases: proton magnetic resonance titration studies of the four histidines of porcine trypsin, 487
Chirgadze, Yu. N., Brazhnikov, E. V. & Nevskaya, N. A., Intramolecular distortion of the α-helical structure of polypeptides, 781
Chromatin, evidence for an association with most nuclear RNA, 177
Chymotrypsin acyl enzyme, evidence for a structural change in the substrate preceding hydrolysis: application of the resonance Raman labelling technique to a dynamic biochemical system, 679
Cleavage upon phage maturation, characterization; and primary structure of bacteriophage T4 internal protein II, 349
Clewell, D. B. (see also Yagi, Y.), 583
Cockburn, A. (see also Firtel, R. A.), 831
Concanavalin A, physical-chemical studies on the role of the metal ions, 441
Conformational change, major, in tRNA, detection by laser light scattering, 193
Copper, zinc superoxide dismutase subunit, similarity of three-dimensional structure to that of the immunoglobulin domain, 221
Craig, R. & Offer, G., Axial arrangement of crossbridges in thick filaments of vertebrate skeletal muscle, 325
Cronan, J. E., Jr (see also Nunn, W. D.), 167
Crossbridges, axial arrangement in thick filaments of vertebrate skeletal muscle, 325
Cruse, W. B. T. & Whitaker, D. R., Preliminary crystallographic data for beta-lytic protease, 173
Crystalline methionyl-tRNA synthetase from *Escherichia coli*, a low-resolution model, 93
Crystallographic data, preliminary, for beta-lytic protease, 173
— study of bakers' yeast cytochrome b_2, 853

Curtis, M. J. & Alberts, B., Studies on the structure of intracellular bacteriophage T4 DNA, 793
Cytochrome b_2, bakers' yeast, a crystallographic study, 853
— *c*, statistical analysis of residue variability, 287
Cytochromes *c* and b_5, an hypothetical structure for an intermolecular electron transfer complex, 563

Davies, D. R. (see also Richardson, J. S.), 221
Day, L. A. (see also Berkowitz, S. A.), 531
— (see also Wiseman, R. L.), 549
de Préval, C. & Fougereau, M., Specific interaction between V_H and V_L regions of human monoclonal immunoglobulins, 657
Deoxyribonucleic acid, amino acid specificity of the tRNA species coded for by HeLa mitochondrial DNA, 125
— — content homogeneity of *Bacillus subtilis* spore, 367
— —, co-operative interaction with a dimer: gene *5* protein of bacteriophage fd, 697
— —, covalently closed circular duplex, of Epstein–Barr virus in a human lymphoid cell line, 511
— —, intracellular, of bacteriophage T4, studies on structure, 793
— — of bacteriophage λ, lack of a unique termination site for the first round of replication, 569
— — — — φX174, synthesis in a replication-deficient host: determination of the origin of φX DNA replication, 633
— —, pAMα1, tandemly repeated resistance determinants in amplified forms; plasmid-determined tetracycline resistance in *Streptococcus faecalis*, 583
— —, single-stranded circular, and protein subunits, different arrangements in the filamentous bacterial viruses fd and Pf1, 549
— —, structure of a form with restricted binding of intercalating dyes observed during synthesis of φX single-stranded DNA, 723
— — synthesis during the division cycle of three substrains of *Escherichia coli* B/r, 477
Dictyostelium discoideum, structural organization of the genome: analysis by *Eco*R1 restriction endonuclease, 831
Distortion, intramolecular, of the α-helical structure of polypeptides, 781
Division cycle and DNA synthesis for three substrains of *Escherichia coli* B/r, 477
Dogfish M_4 lactate dehydrogenase, apo, and its ternary complexes, a comparison of structures, 759
Douzou, P. (see also Maurel, P.), 253
Dyes, intercalating, restricted binding in DNA form found in bacteriophage φX-infected cells during synthesis of φX single-stranded DNA, 723

*Eco*R1 restriction endonuclease used in analysis of structural organization of the genome of *Dictyostelium discoideum*, 831
Edelstein, S. J. (see also Josephs, R.), 409
Eklund, H., Brändén, C.-I. & Jörnvall, H., Structural comparisons of mammalian, yeast and bacillar alcohol dehydrogenases, 61
—, Nordström, B., Zeppezauer, E., Söderlund, G., Ohlsson, I., Boiwe, T., Söderberg, B.-O., Tapia, O., Brändén, C.-I. & Åkeson, Å., Three-dimensional structure of horse liver alcohol dehydrogenase at 2·4 Å resolution, 27
Electron transfer, intermolecular, complex of cytochromes *c* and b_5, an hypothetical structure, 563
Electrostatic potentials, catalytic implications: the lytic activity of lysozyme as a model, 253
Endonuclease, *Eco*R1 restriction, used in analysis of structural organization of the genome of *Dictyostelium discoideum*, 831
Endonuclease V of bacteriophage T4, the structural gene: studies on temperature-dependent ultraviolet light-sensitive T4 mutants, 15
—, specific, from *Arthrobacter luteus*, 157
Enzyme, chymotrypsin acyl, evidence for a structural change in the substrate preceding hydrolysis: application of the resonance Raman labelling technique to a dynamic biochemical system, 679
— synthesis, mutations which alter the control; divergent transcription of the *argECBH* cluster of *Escherichia coli* K12, 205
Epstein–Barr virus DNA, covalently closed circular duplex, in a human lymphoid cell line, 511

Escherichia coli, a low-resolution model of crystalline methionyl-tRNA synthetase, 93
— —, biosynthesis of RNA polymerase. IV. Accumulation of intermediates in mutants defective in the subunit assembly, 297
— — B/r, DNA synthesis during the division cycle of three substrains, 477
— —, directed integration of bacteriophage λ in an F′ *lac* transposition Hfr strain; isolation and characterization of specialized transducing phages for the phenylalanine and tyrosine operons, 311
— — K12, divergent transcription of the *argECBH* cluster. Mutations which alter the control of enzyme synthesis, 205
Espejo, R. T. & Sinsheimer, R. L., The process of infection with bacteriophage φX174. XXXIX. The structure of a DNA form with restricted binding of intercalating dyes observed during synthesis of φX single-stranded DNA, 723

Fatty acid synthesis, evidence for a direct effect in *relA* gene control of membrane phospholipid synthesis, 167
fd (see also Bacteriophage), 697, 713
— (see also Virus), 531, 549
Fibrinogen, bovine, a neutron small-angle scattering study, 143
Filamentous bacterial virus fd, mass, length, composition and structure, 531
— — viruses fd and Pf1, different arrangements of protein subunits and single-stranded circular DNA, 549,
Filaments, thick, of vertebrate skeletal muscle, axial arrangement of crossbridges, 325
Firtel, R. A., Cockburn, A., Frankel, G. & Hershfield, V., Structural organization of the genome of *Dictyostelium discoideum*: analysis by *Eco*R1 restriction endonuclease, 831
Folding and capsomere morphology of the P23 surface shell of bacteriophage T4 polyheads from mutants in five different head genes, 373
Ford, G. C. (see also White, J. L.), 759
Ford, N. C., Jr (see also Olson, T.), 193
Fougereau, M. (see also de Préval, C.), 657
Fournier, M. J. (see also Olson, T.), 193
Frankel, G. (see also Firtel, R. A.), 831
Freifelder, D. (see also Valenzuela, M. S.), 569

Gallwitz, U. (see also Mandelkow, E.), 265
Gene coding for oocyte-type 5 S ribosomal RNA in *Xenopus*, the nucleotide sequence adjoining the 3′ end, 1
— *5* protein of bacteriophage fd: a dimer which interacts co-operatively with DNA, 697
— *8* protein of bacteriophage fd, isolation of a dimer, 713
—, *relA*, control of membrane phospholipid synthesis, evidence for a direct effect on fatty acid synthesis, 167
—, structural, for T4 endonuclease V: studies on temperature-dependent ultraviolet-light sensitive mutants of bacteriophage T4, 15
Genetic structure and regulation of a replicon of plasmid λ*dv*, 427
Genome of *Dictyostelium discoideum*, structural organization: analysis by *Eco*R1 restriction endonuclease, 831
Glycoprotein and matrix protein of vesicular stomatitis virus, assembly into HeLa cell plasma membranes, 613
Glycosylation, assembly and secretion of immunoglobulin, mouse myeloma mutants blocked, 237
Goldthwait, D. A. (see also Cavalieri, S. J.), 697, 713
Griseofulvin interacts with microtubules both *in vivo* and *in vitro*, 817

Hackert, M. L. (see also White, J. L.), 759
Hartman, K. A. (see also Thomas, G. J., Jr), 103
HeLa cell mitochondrial DNA-coded tRNA species, amino acid specificity, 125
— — plasma membranes, assembly of vesicular stomatitis virus glycoprotein and matrix protein, 613
Helical aggregate, new, of tobacco mosaic virus protein, 265
α-Helical structure of polypeptides, intramolecular distortion, 781
Helmstetter, C. E. & Pierucci, O., DNA synthesis during the division cycle of three substrains of *Escherichia coli* B/r, 477
Hemoglobin fibres, sickle cell, polymorphism, 409

Hershfield, V. (see also Firtel, R. A.), 831
Herzog, W. (see also Weber, K.), 817
Hfr strain, F′ *lac* transposition, of *Escherichia coli*, directed integration of bacteriophage λ: isolation and characterization of specialized transducing phages for the phenylalanine and tyrosine operons, 311
Histidine used as a radioactivity trap for [2-^{3}H]adenine nucleotides in analysis of RNA turnover in bacteria, 333
Histidines, four, of porcine trypsin, proton magnetic resonance titration studies; the charge-relay system of serine proteinases, 487
Holmes, K. C. (see also Mandelkow, E.), 265
Horse liver alcohol dehydrogenase, three-dimensional structure at 2·4 Å resolution, 27
Human lymphoid cell line and covalently closed circular duplex DNA of Epstein–Barr virus, 511
— monoclonal immunoglobulins, specific interaction between V_H and V_L regions, 657

IlvADGE operon regulation: evidence for positive control by threonine deaminase, 453
Immunoglobulin domain, similarity of three-dimemsional structure to that of the copper, zinc superoxide dismutase subunit, 221
— G and non-immunoglobulin G proteins, variation in the relative synthesis in cultured MPC-11 cells with changes in the overall rate of polypeptide chain initiation and elongation, 601
—, mouse myeloma mutants blocked in the assembly, glycosylation and secretion, 237
Immunoglobulins, monoclonal, human, specific interaction between V_H and V_L regions, 657
Inman, R. B. (see also Valenzuela, M. S.), 569
Intermolecular electron transfer complex of cytochromes *c* and b_5, an hypothetical structure, 563
Ishihama, A. (see also Taketo, M.), 297
Isobe, T., Black, L. W. & Tsugita, A., Primary structure of bacteriophage T4 internal protein II and characterization of the cleavage upon phage maturation, 349

Jansz, H. S. (see also Baas, P. D.), 633
Jarosch, H. S. (see also Josephs, R.), 409
Jehn, U. (see also Lindahl, T.), 511
Jörnvall, H. (see also Eklund, H.), 61
Josephs, R., Jarosch, H. S. & Edelstein, S. J., Polymorphism of sickle cell hemoglobin fibers, 409

Kaschka-Dierich, C. (see also Lindahl, T.), 511
Kimmel, C. B., Sessions, S. K. & MacLeod, M. C., Evidence for an association of most nuclear RNA with chromatin, 177
Koch, G. (see also Nuss, D. L.), 601

λ (see also Bacteriophage), 311, 569
Labelling, specific affinity, of tubulin with bromocolchicine, 743
F′ *lac* transposition Hfr strain of *Escherichia coli*, directed integration of bacteriophage λ: isolation and characterization of specialized transducing phages for the phenylalanine and tyrosine operons, 311
Lactate dehydrogenase, apo dogfish M_4, and its ternary complexes, a comparison of structures, 759
Langley, K. H. (see also Olson, T.), 193
Laser light scattering and detection of a major conformational change in tRNA, 193
Laser–Raman spectroscopic studies of virus structure. II. MS2 phage, MS2 capsids and MS2 RNA in aqueous solutions, 103
Lederer, F. (see also Mathews, F. S.), 853
Lentz, P. J., Jr (see also White, J. L.), 759
Levinthal, M., Levinthal, M. & Williams, L. S., The regulation of the *ilvADGE* operon: evidence for positive control by threonine deaminase, 453
— (see also Levinthal, M.), 453
Lindahl, T., Adams, A., Bjursell, G., Bornkamm, G. W., Kaschka-Dierich, C. & Jehn, U., Covalently closed circular duplex DNA of Epstein–Barr virus in a human lymphoid cell line, 511
Liu, T. S. (see also Wong, A. K. C.), 287
Liver alcohol dehydrogenase of horse, three-dimensional structure at 2·4 Å resolution, 27

Lymphoid cell line, human, and covalently closed circular duplex DNA of Epstein–Barr virus, 511
Lynch, D. C. & Attardi, G., Amino acid specificity of the tRNA species coded for by HeLa cell mitochondrial DNA, 125
Lysozyme lytic activity; catalytic implications of electrostatic potentials, 253
Lytic activity of lysozyme; catalytic implications of electrostatic potentials, 253

McDonald-Ordzie, P. E. (see also Thomas, G. J., Jr), 103
MacLeod, M. C. (see also Kimmel, C. B.), 177
Mammalian, yeast and bacillar alcohol dehydrogenases, structural comparisons, 61
Mandelkow, E., Holmes, K. C. & Gallwitz, U., A new helical aggregate of tobacco mosaic virus protein, 265
Marguerie, G. & Stuhrmann, H. B., A neutron small-angle scattering study of bovine fibrinogen, 143
Markley, J. L. & Porubcan, M. A., The charge-relay system of serine proteinases: proton magnetic resonance titration studies of the four histidines of porcine trypsin, 487
Mathews, F. S. & Lederer, F., Crystallographic study of bakers' yeast cytochrome b_2, 853
Matrix protein and glycoprotein of vesicular stomatitis virus, assembly into HeLa cell plasma membranes, 613
Matsubara, K., Genetic structure and regulation of a replicon of plasmid *λdv*, 427
Maurel, P. & Douzou, P., Catalytic implications of electrostatic potentials: the lytic activity of lysozyme as a model, 253
Membrane phospholipid synthesis, *relA* gene control, evidence for a direct effect on fatty acid synthesis, 167
Membranes, HeLa cell plasma, assembly of vesicular stomatitis virus glycoprotein and matrix protein, 613
Metal ions, physical-chemical studies on their role in concanavalin A, 441
Methionyl-tRNA synthetase, crystalline, of *Escherichia coli*, a low-resolution model, 93
Microtubules, interaction with griseofulvin both *in vivo* and *in vitro*, 817
Mitochondrial DNA-coded tRNA species, amino acid specificity, 125
Monteilhet, C. (see also Zelwer, C.), 93
Morrison, A. (see also Roberts, R. J.), 157
Mouse myeloma mutants blocked in the assembly, glycosylation and secretion of immunoglobulin, 237
Moyer, S. A. (see also Atkinson, P. H.), 613
MPC-11 cells, cultured, variation in the relative synthesis of immunoglobulin G and non-immunoglobulin G proteins with changes in the overall rate of polypeptide chain initiation and elongation, 601
MS2 (see also Bacteriophage), 103
Murray, K. (see also Roberts, R. J.), 157
Muscle, skeletal, vertebrate, axial arrangement of crossbridges in thick filaments, 325
—, smooth, vertebrate, myosin-linked calcium regulation, 75
Mutants defective in subunit assembly, accumulation of intermediates; biosynthesis of RNA polymerase in *Escherichia coli*, 297
— in five different head genes of bacteriophage T4, folding and capsomere morphology of the P23 surface shell of polyheads, 373
—, mouse myeloma, blocked in the assembly, glycosylation and secretion of immunoglobulin, 237
—, temperature-dependent ultraviolet light-sensitive, of bacteriophage T4: the structural gene for T4 endonuclease V, 15
Mutations which alter the control of enzyme synthesis; divergent transcription of the *argECBH* cluster of *Escherichia coli* K12, 205
Myeloma, mouse, mutants blocked in the assembly, glycosylation and secretion of immunoglobulin, 237
Myers, P. A. (see also Roberts, R. J.), 157
Myosin-linked calcium regulation in vertebrate smooth muscle, 75

Neet, K. E. (see also Cavalieri, S. J.), 697, 713
Neutron small-angle scattering study of bovine fibrinogen, 143
Nevskaya, N. A. (see also Chirgadze, Yu. N.), 781
Nordström, B. (see also Eklund, H.), 27
Nuclear RNA, evidence for an association with chromatin, 177

Tunn, W. D. & Cronan, J. E., Jr, Evidence for a direct effect on fatty acid synthesis in *relA* gene control of membrane phospholipid synthesis, 167
Tuss, D. L. & Koch, G., Variation in the relative synthesis of immunoglobulin G and non-immunoglobulin G proteins in cultured MPC-11 cells with changes in the overall rate of polypeptide chain initiation and elongation, 601

Yeffer, G. (see also Craig, R.), 325
Yhlsson, I. (see also Eklund, H.), 27
Ylson, T., Fournier, M. J., Langley, K. H. & Ford, N. C., Jr, Detection of a major conformational change in tRNA by laser light scattering, 193
Yocyte-type 5 S ribosomal RNA in *Xenopus*, the nucleotide sequence adjoining the 3′ end of the coding genes, 1
Yperon, *ilvADGE*, regulation: evidence for positive control by threonine deaminase, 453
Yperons, phenylalanine and tyrosine, isolation and characterization of specialized transducing phages; directed integration of bacteriophage λ in an F′ *lac* transposition Hfr strain of *Escherichia coli*, 311

ΦX174 (see also Bacteriophage), 633, 723
Y23 surface shell of bacteriophage T4 polyheads from mutants in five different head genes, folding and capsomere morphology, 373
YAMα1 DNA, tandemly repeated resistance determinants in amplified forms; plasmid-determined tetracycline resistance in *Streptococcus faecalis*, 583
Yf1 (see also Virus), 549
Yhenylalanine and tyrosine operons, isolation and characterization of specialized transducing phages; directed integration of bacteriophage λ in an F′ *lac* transposition Hfr strain of *Escherichia coli*, 311
Yhospholipid, membrane, synthesis, *relA* gene control, evidence for a direct effect on fatty acid synthesis, 167
Yierucci, O. (see also Helmstetter, C. E.), 477
Yplasmid *λdv*, genetic structure and regulation of a replicon, 427
— -determined tetracycline resistance in *Streptococcus faecalis*: tandemly repeated resistance determinants in amplified forms of pAMα1 DNA, 583
Ypolyheads, bacteriophage T4, from mutants in five different head genes, folding and capsomere morphology of the P23 surface shell, 373
Ypolymerase for RNA, biosynthesis in *Escherichia coli*. IV. Accumulation of intermediates in mutants defective in the subunit assembly, 297
Ypolymorphism of sickle cell hemoglobin fibers, 409
Ypolypeptide chain initiation and elongation, effect of changes in the overall rate on the relative synthesis of immunoglobulin G and non-immunoglobulin G proteins in cultured MPC-11 cells, 601
Ypolypeptides, intramolecular distortion of the α-helical structure, 781
Yporcine trypsin, proton magnetic resonance titration studies of the four histidines; the charge-relay system of serine proteinases, 487
Yorubcan, M. A. (see also Markley, J. L.), 487
Yrescott, B. (see also Thomas, G. J., Jr), 103
Yprotease, beta-lytic, preliminary crystallographic data, 173
Yprotein, gene *5*, of bacteriophage fd: a dimer which interacts co-operatively with DNA, 697
—, — *8*, of bacteriophage fd, isolation of a dimer, 713
— II, internal, of bacteriophage T4, primary structure and characterization of the cleavage upon phage maturation, 349
—, matrix, and glycoprotein of vesicular stomatitis virus, assembly into HeLa cell plasma membranes, 613
— of tobacco mosaic virus, a new helical aggregate, 265
— subunits and single-stranded circular DNA, different arrangements in the filamentous bacterial viruses fd and Pf1, 549
Yproteins, immunoglobulin G and non-immunoglobulin G, variation in relative synthesis in cultured MPC-11 cells with changes in the overall rate of polypeptide chain initiation and elongation, 601
Yproton magnetic resonance titration studies of the four histidines of porcine trypsin; the charge-relay system of serine proteinases, 487

Raman, resonance, labelling technique, application to a dynamic biochemical system; evidence for a structural change in the substrate preceding hydrolysis of a chymotrypsin acyl enzyme, 679
— –laser spectroscopic studies of virus structure. II. MS2 phage, MS2 capsids and MS2 RNA in aqueous solutions, 103
relA gene control of membrane phospholipid synthesis, evidence for a direct effect on fatty acid synthesis, 167
Replication of bacteriophage λ DNA, lack of a unique termination site for the first round, 569
— — ϕX DNA, determination of origin: bacteriophage ϕX174 DNA synthesis in a replication-deficient host, 633
Replicon of plasmid *λdv*, genetic structure and regulation, 427
Residue variability in cytochrome *c*, statistical analysis, 287
Resistance, tetracycline, plasmid-determined in *Streptococcus faecalis*; tandemly repeated resistance determinants in amplified forms of pAMα1 DNA, 583
Resonance Raman labelling technique, application to a dynamic biochemical system; evidence for a structural change in the substrate preceding hydrolysis of a chymotrypsin acyl enzyme, 679
Restriction endonuclease, *Eco*R1, used in analysis of structural organization of the genome of *Dictyostelium discoideum*, 831
Ribonucleic acid, a low-resolution model of crystalline methionyl-tRNA synthesis from *Escherichia coli*, 93
— —, amino acid specificity of the tRNA species coded for by HeLa cell mitochondrial DNA, 125
— —, nuclear, evidence for an association with chromatin, 177
- - — of MS2, MS2 phage and MS2 capsids in aqueous solutions: studies of virus structure by laser–Raman spectroscopy, 103
— —, oocyte-type 5 S ribosomal, in *Xenopus*, the nucleotide sequence adjoining the 3′ end of the coding genes, 1
— — polymerase, biosynthesis in *Escherichia coli*. IV. Accumulation of intermediates in mutants defective in the subunit assembly, 297
— —, transfer, detection of a major conformational change by laser light scattering, 193
— — turnover in bacteria, analysis using histidine as a radioactivity trap for [2-^{3}H]adenine nucleotides, 333
Ribosomal 5 S RNA, oocyte-type, in *Xenopus*, the nucleotide sequence adjoining the 3′ end of the coding genes, 1
Richardson, C. E. & Behnke, W. D., Physical-chemical studies on the role of the metal ions in concanavalin A, 441
Richardson, D. C. (see also Richardson, J. S.), 221
Richardson, J. S., Richardson, D. C., Thomas, K. A., Silverton, E. W. & Davies, D. R., Similarity of three-dimensional structure between the immunoglobulin domain and the copper, zinc superoxide dismutase subunit, 221
Risler, J. L. (see also Zelwer, C.), 93
Roberts, R. J., Myers, P. A., Morrison, A. & Murray, K., A specific endonuclease from *Arthrobacter luteus*, 157
Rossmann, M. G. (see also White, J. L.), 759

Salemme, F. R., An hypothetical structure for an intermolecular electron transfer complex of cytochromes *c* and b_5, 563
Sato, K. & Sekiguchi, M., Studies on temperature-dependent ultraviolet light-sensitive mutants of bacteriophage T4: the structural gene for T4 endonuclease V, 15
Scattering of laser light and detection of a major conformational change in tRNA, 193
—, small-angle, neutron, study of bovine fibrinogen,143
Scharff, M. D. (see also Weitzman, S.), 237
Schmitt, H. & Atlas, D., Specific affinity labelling of tubulin with bromocolchicine, 743
Schneider, H. (see also Carey, P. R.), 679
Sekiguchi, M. (see also Sato, K.), 15
Sequence, nucleotide, adjoining the 3′ end of the genes coding for oocyte-type 5 S ribosomal RNA in *Xenopus*, 1
Serine proteinases, the charge-relay system: proton magnetic resonance titration studies of the four histidines of porcine trypsin, 487
— substitution caused by a recessive lethal suppressor in yeast, 467
Sessions, S. K. (see also Kimmel, C. B.), 177
Sherman, F. (see also Brandriss, M. C.), 467
Showe, M. K. (see also Steven, A. C.), 373

Sickle cell hemoglobin fiber polymorphism, 409
Silverton, E. W. (see also Richardson, J. S.), 221
Sinsheimer, R. L. (see also Baas, P. D.), 633
— (see also Espejo, R. T.), 723
Small, J. V. (see also Sobieszek, A.), 75
Smiley, I. E. (see also White, L. J.), 759
Sobieszek, A. & Small, J. V., Myosin-linked calcium regulation in vertebrate smooth muscle, 75
Söderberg, B.-O. (see also Eklund, H.), 27
Söderlund, G. (see also Eklund, H.), 27
Steindel, S. J. (see also White, J. L.), 759
Steven, A. C., Aebi, U. & Showe, M. K., Folding and capsomere morphology of the P23 surface shell of bacteriophage T4 polyheads from mutants in five different head genes, 373
— (*Appendix* to Steven, A. C. *et al.*, 373), 400
Stewart, J. W. (see also Brandriss, M. C.), 467
Streptococcus faecalis, plasmid-determined tetracycline resistance: tandemly repeated resistance determinants in amplified forms of pAMα1 DNA, 583
Structural change in the substrate preceding hydrolysis of a chymotrypsin acyl enzyme: application of the resonance Raman labelling technique to a dynamic biochemical system, 679
— comparison between fd and Pf1, 549
— comparisons of mammalian, yeast and bacillar alcohol dehydrogenases, 61
— organization of the genome of *Dictyostelium discoideum*: analysis by *Eco*R1 restriction endonuclease, 831
Structure, genetic, and regulation of a replicon of plasmid λ*dv*, 427
—, α-helical, of polypeptides, intramolecular distortion, 781
—, hypothetical, for an intermolecular electron transfer complex of cytochromes *c* and b_5, 563
—, mass, length and composition of the filamentous bacterial virus fd, 531
— of a DNA form with restricted binding of intercalating dyes observed during synthesis of φX single-stranded DNA, 723
— — bacteriophage T4 polyheads, 373
— — intracellular bacteriophage T4 DNA, 793
— — tobacco mosaic virus protein, a new helical aggregate, 265
— — viruses, studies by laser–Raman spectroscopy. II. MS2 phage, MS2 capsids and MS2 RNA in aqueous solutions, 103
—, primary, of bacteriophage T4 internal protein II and characterization of the cleavage upon phage maturation, 349
—, three-dimensional, of horse liver alcohol dehydrogenase at 2·4 Å resolution, 27
— — —, similarity between the immunoglobulin domain and the copper, zinc superoxide dismutase subunit, 221
Structures of apo dogfish M_4 lactate dehydrogenase and its ternary complexes, a comparison, 759
Stuhrmann, H. B. (see also Marguerie, G.), 143
Subunit assembly-defective mutants, accumulation of intermediates; biosynthesis of RNA polymerase in *Escherichia coli*, 297
Summers, D. F. (see also Atkinson, P. H.), 613
Superoxide dismutase, copper, zinc, subunit, similarity of three-dimensional structure to that of the immunoglobulin domain, 221
Suppressor, lethal, recessive, in yeast causes substitution of serine, 467
Synthesis of bacteriophage φX174 DNA in a replication-deficient host: determination of the origin of φX DNA replication, 633
— — DNA during the division cycle of three substrains of *Escherichia coli* B/r, 477
—, relative, of immunoglobulin G and non-immunoglobulin G proteins in cultured MPC-11 cells, variation with changes in the overall rate of polypeptide chain initiation and elongation, 601

T4 (see also Bacteriophage), 15, 349, 373, 793
Taketo, M. & Ishihama, A., Biosynthesis of RNA polymerase in *Escherichia coli*. IV. Accumulation of intermediates in mutants defective in the subunit assembly, 297
Tapia, O. (see also Eklund, H.), 27
Termination site, unique, lacking for the first round of bacteriophage λ DNA replication, 569
Tetracycline resistance, plasmid-determined, in *Streptococcus faecalis*: tandemly repeated resistance determinants in amplified forms of pAMα1 DNA, 583
Thomas, G. J., Jr, Prescott, B., McDonald-Ordzie, P. E. & Hartman, K. A., Studies of virus structure by laser–Raman spectroscopy. II. MS2 phage, MS2 capsids and MS2 RNA in aqueous solutions, 103

Thomas, K. A. (see also Richardson, J. S.), 221
Threonine deaminase and evidence for its positive regulatory control of the *ilvADGE* operon, 453
Tobacco mosaic virus protein, a new helical aggregate, 265
Transcription, divergent, of the *argECBH* cluster of *Escherichia coli* K12. Mutations which alter the control of enzyme synthesis, 205
Transducing phages, specialized, for the phenylalanine and tyrosine operons, isolation and characterization; directed integration of bacteriophage λ in an F′ *lac* transposition Hfr strain of *Escherichia coli*, 311
Transfer RNA, detection of a major conformational change by laser light scattering, 193
— — species coded for by HeLa cell mitochondrial DNA, amino acid specificity, 125
Transposition Hfr strain, F′ *lac* of, *Escherichia coli*, directed integration of bacteriophage λ: isolation and characterization of specialized transducing phages for the phenylalanine and tyrosine operons, 311
Trypsin, porcine, proton magnetic resonance titration studies of the four histidines; the charge-relay sytem of serine proteinases, 487
Tsugita, A. (see also Isobe, T.), 349
Tubulin, specific affinity labelling with bromocolchicine, 743
Tyrosine and phenylalanine operons, isolation and characterization of specialized transducing phages; directed integration of bacteriophage λ in an F′ *lac* transposition Hfr strain of *Escherichia coli*, 311

Ultraviolet light-sensitive, temperature-dependent, mutants of bacteriophage T4; the structural gene for T4 endonuclease V, 15

V_H-V_L interactions in human monoclonal immunoglobulins, 657
Valenzuela, M. S., Freifelder, D. & Inman, R. B., Lack of a unique termination site for the first round of bacteriophage lambda DNA replication, 569
Vertebrate skeletal muscle, axial arrangement of crossbridges in thick filaments, 325
— smooth muscle, myosin-linked calcium regulation, 75
Vesicular stomatitis virus glycoprotein and matrix protein, assembly into HeLa cell plasma membranes, 613
Virus, Epstein–Barr, covalently closed circular duplex DNA in a human lymphoid cell line, 511
— fd, filamentous bacterial, mass, length, composition and structure, 531
— structure, studies by laser–Raman spectroscopy. II. MS2 phage, MS2 capsids and MS2 RNA in aqueous solutions, 103
—, tobacco mosaic, protein, a new helical aggregate, 265
—, vesicular stomatitis, glycoprotein and matrix protein, assembly into HeLa cell plasma membranes, 613
Viruses fd and Pf1, filamentous bacterial, different arrangements of protein subunits and single-stranded circular DNA, 549

Wake, R. G. (see also Callister, H.), 367
Wang, C. C. (see also Wong, A. K. C.), 287
Weber, K., Wehland, J. & Herzog, W., Griseofulvin interacts with microtubules both *in vivo* and *in vitro*, 817
Wehland, J. (see also Weber, K.), 817
Weitzman, S. & Scharff, M. D., Mouse myeloma mutants blocked in the assembly, glycosylation and secretion of immunoglobulin, 237
Whitaker, D. R. (see also Cruse, W. B. T.), 173
White, J. L., Hackert, M. L., Beuhner, M., Adams, M. J., Ford, G. C., Lentz, P. J., Jr, Smiley, I. E., Steindel, S. J. & Rossmann, M. G., A comparison of the structures of apo dogfish M_4 lactate dehydrogenase and its ternary complexes, 759
Williams, L. S. (see also Levinthal, M.), 453
Wiseman, R. L., Berkowitz, S. A. & Day, L. A., Different arrangements of protein subunits and single-stranded circular DNA in the filamentous bacterial viruses fd and Pf1, 549
Wong, A. K. C., Liu, T. S. & Wang, C. C., Statistical analysis of residue variability in cytochrome *c*, 287

Xenopus, the nucleotide sequence adjoining the 3′ end of the genes coding for oocyte-type 5 S ribosomal RNA, 1

Yagi, Y, & Clewell, D. B., Plasmid-determined tetracycline resistance in *Streptococcus faecalis*: tandemly repeated resistance determinants in amplified forms of pAMα1 DNA, 583
Yeast, bakers', cytochrome b_2, a crystallographic study, 853
—, mammalian and bacillar alcohol dehydrogenases, structural comparisons, 61
—, recessive lethal suppressor causes substitution of serine, 467

Zelwer, C., Risler, J. L. & Monteilhet, C., A low-resolution model of crystalline methionyl-tRNA synthetase from *Escherichia coli*, 93
Zeppezauer, E. (see also Eklund, H.), 27
Zurawski, G. & Brown, K. D., Directed integration of bacteriophage lambda in an F′ *lac* transposition Hfr strain of *Escherichia coli*: isolation and characterization of specialized transducing phages for the phenylalanine and tyrosine operons, 311